Remington Arms Company, Inc. 870 Remington Drive PO Box 700 Madison, NC 27025-0700 (336) 548-8700 800-243-9700

REMINGTON

Arms Company, Inc.

MODEL 16 AUTOLOADING RIFLE

- Shooting Safety Commandments
- Information
- Instructions for Operation & Care of Rifle
- · Components Parts Listing
- Value and Reference Book Listing

NOTE: We are pleased to accommodate your request for the Model 16 Autoloading Rifle information. The following documentation represents all information available on this model from the Remington Arms Co., Inc.


DO NOT MAKE CHANGES OR ALTERATIONS TO ANY PARTS OF A FIREARM. USE ONLY REMINGTON PARTS. NEVER MAKE AN ADJUSTMENT TO THE TRIGGER, OR CHANGE THE SHAPE OR SIZE OF THE SEAR, SEAR NOTCH, OR OTHER PARTS.

Ten Commandments of Shooting Safety


- 1. Always keep the muzzle pointed in a safe direction.
- 2. Firearms should be unloaded when not in use.
- 3. Don't rely on your gun's "safety".
- 4. Be sure of your target and what is beyond it.
- 5. Use correct ammunition.
- 6. If your gun fails to fire when the trigger is pulled, handle with care!
- 7. Always wear eye and ear protection when shooting.
- 8. Be sure the barrel is clear of obstructions before shooting.
- 9. Do not alter or modify your gun, and have guns serviced regularly.
- 10. Learn the mechanical and handling characteristics of the firearm you are using.

No. 16A "Standard" Grade


SPECIFICATIONS:-22-inch Remington steel, round harrel, with 18-inch twist; straight grip, American walnut stock fitted with atcel rifle butt plate. Magazine holds fifteen cartridges, which with one cartridge in the barrel gives a capacity of 16 shots without reloading. Sights regularly furnished; white metal bead front sight and rear sight with screw adjustment. Light, easy trigger pull. Trigger grooved to prevent finger alipping. Weight, about 5% pounds. Length over all, 401/2 inches. Length taken down, 22 inches. This rifle cannot be surnished with pistol grip.



SPECIFICATIONS:—Same as No. 16A, except that stock and forearm are of selected imported walnut, neatly checkered. Special sights adapted to this tifle shown on pages \$1, 92 and 93.



SPECIFICATIONS:—Same as No. 16C but with higher grade imported walnut stock and forearm, both neatly checkered. The receiver and trigger guard are finished with a rich scroll, hand engraved.




SPECIFICATIONS:—Same as 16C but with stock and forearm of the finest Circaesian walnut, both finished with delicate and elaborate checkaring of best quality. Stock is iniaid with gold name plate. Owner's initials engraved on name

"DISCONTINUED NO PARTS AVAILABLE FROM REMINGTON"

Page 79

Model 16 .22 Cal. Autoloading Rifle

COMPONENT PARTS



Cottental . man -10 - 14-17:

Remington

Page 80

Model 16 .22 Cal. Autoloading Rifle

8	B 68 Link	plete	B 62 1/2 Inner Magazine Tube Com-	B 62 Inner Magazine Tube.	B 57 Hammer Stop I'm	B 56 Hammer Pin.	B 55 Hammer	B 500 Front Sight	B 490 Fore-end Screw	B 480 Fore-end Plate Screw	Plato	٠.		B 44 Firing Pin Mcuracion opinio		B 38 Extractor Spring	_	B 36 Extractor Side Spring	B 35 Extractor Pivot Pin	2	జ్ఞ	32	<u>د</u>	% Cartridge), }	Stop Pin	22 Carriage Stop	- "	Cartridge Mocker	B 14 Butt Plate Screw	B. 11 Butt Plate		H 1014 Breech Block Complete	B 9 Daire Lock	B ISAMEL	B 4 Action oping susuae	. ω		B 1 Action Cover	PART	No.	COMPONENT	
	147	4			140		138	137 Take-Down Plunger	136	135 Take-	_	129 Block	-	126	125	124 Sear S		Safety Top Ph		Safety Finger Pic		in 118 Safety, Agembled	D 100 Receiver	Ag_51 Rear Sight Comp	2 2		60	01	Screw	8	20 20	B 83 Main Spring Tube	3 2	8	B 70 Magazine Plug	B 78 Magazine Follower	77 Magazine	76 Magazine	75	PARI B 74 Magazine Bolt		NT PAKIS	

Firearms Value & Reference Books

NOTE: We do not provide information on firearms' values. You may want to have your firearm appraised by a gunsmith. The following sources may also be helpful. We do not accept responsibility for the goods or services provided by these sources.

Firearms Value Books

Blue Book of Gun Values
Blue Book Publications
8009 34th Avenue South #175
Minneapolis, MN 55425
800-877-GUNS

Flayderman's Guide to Firearm Values
Gun List
Modern Gun Values
Krause Publications
700 East State Street
Iola, WI 54990-0001
847-573-8530

Gun Trader's Guide Stoeger Publishing Company 5 Mansard Court Wayne, NJ 07470 973-872-9500

Reference Books

The Remington 700
John Flacy
Brownells, Inc.
200 South Front Street
Montezuma, IA 50171
515-623-5401

Cartridges of the World Frank C. Barnes Standard Catalog of Firearms Krause Publications 700 East State Street Iola, WI 54990-0001 847-573-8530

Shooter's Bible
Stoeger Publishing Company
5 Mansard Court
Wayne, NJ 07470
973-872-9500

Remington, America's Oldest
Gunmanker
Remington Arms Co.
PO Box 700
Madison, NC 27025
Attention: History Book
800-423-8495

Market Communication and Artifaction of the Communication of the Communi $(e^{i\phi}) = (\varphi_i \circ \varphi_i) = (e^{i\phi})_{i \in I} \circ (e^{i\phi})_{i \in I}$

A market man

The second second and the second section of the second

The first terms of the second 1988 - 18 S. J. J. B. W. L.

Section 1995

The second of the second of the second

1. Si

i di 144" 31 11 And the second s 44 to a second of 2 2 1 2 2 $\rho = \frac{1}{r} \left(\frac{1}{r} + \frac{1}{r} \frac{1}{r} + \frac{1}{r} \frac{1}{r} + \frac{1}{r} \frac{1}{r} \right)$ e e e

y $\frac{\mathbf{v}}{\mathbf{v}} = \mathbf{v} \cdot \mathbf{v}$